TL LABORATORIES

Certificate of Analysis

T6J0056



Patriots Relief
Client Lic#:
1518 Haslett Rd #202 Haslett, MI 48840
Patriots Relief

Compliance for Retail: **PASS**

Broad Spectrum Tincture

Sample ID: T6J0056-01 CCB ID: BATCH ID: GEEL
Matrix: Derivative Non-inhalable

Total Sample Received: 30ml
Total Units Received: 1
Unit Weight: 30g

Date Sampled: 10/01/2026
Date Received: 10/01/2026
Date Reported: 10/03/2026

Safety Summary

Foreign Materials NOT TESTED	**Heavy Metals** NOT TESTED	**Microbials** NOT TESTED	**Moisture Content** NOT TESTED	**Mycotoxins** NOT TESTED
Pesticides NOT TESTED	**Residual Solvents** NOT TESTED	**Terpenes** NOT TESTED	**Water Activity** NOT TESTED	**Vitamins Supplements** NOT TESTED

Potency Summary

Cannabinoids

Date Prepared: 10/02/2026 08:31 Prep ID: 4599 Specimen Wt: 0.101 g
Date Analyzed: 10/02/2026 13:01 Analyst ID: SYSTEM (SY Instrument: HPLC VWD
Lab Batch: 2640098 Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results	mg/Serving	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	10	ND	ND	ND
Cannabidiol (CBD)	10	18.6	112	5,593
Cannabidiolic acid (CBDA)	10	ND	ND	ND
Cannabidivarin (CBDV)	10	ND	ND	ND
Cannabigerol (CBG)	10	ND	ND	ND
Cannabigerolic acid (CBGA)	10	ND	ND	ND
Cannabinol (CBN)	10	ND	ND	ND
d8 - Tetrahydrocannabinoid (d8-THC)	10	ND	ND	ND
d9 - Tetrahydrocannabinoid (d9-THC)	10	ND	ND	ND
d9 - Tetrahydrocannabinolic acid (THCA)	10	ND	ND	ND
Tetrahydrocannabivarin (THCV)	10	ND	ND	ND
Total THC		0.0000	0.000	0.000
Total CBD		18.6	112	5,593
Total Cannabinoids		18.6	112	5,593

Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDa * 0.877 + CBD.
mg/Unit = Unit Weight g * Total THC/CBD mg/g
LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Serving Size: 0.6 g

TL Laboratories
10350 Fisher Ave, Tampa, Florida 33619
813-731-2451 / www.terplifelabs.com

Brian C. Spann
Laboratory Director

PJLA Testing
Accreditation #116557

DEA Registration Number: RT0720878

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)